

Attention

(1) Some Markup is not useable in the WYSIWYG editor directly, then you have to use *Paste Markup* by `Ctrl + Shift + D`!

Keyboard Shortcuts

C	Create a child page
E	Edit current page
Enter	New Paragraph
Shift + Enter	New Line
Ctrl + Shift + D	Paste Markup text
Ctrl + S	Submit / Save
?	Keyboard Shortcut help

Escape

Special characters can be escaped with a backslash , examples: `\{`, `\!`, ...

Headings

h1. Biggest heading
h3. Big Heading
h6. Smallest heading

Headings are started with h1. - h6.

Text Effects

bold text	bold text
<i>_italics_</i>	<i>italics</i>
<code>{{monospaced}}</code>	monospaced
~~-strikethrough-~~	~~strikethrough~~
+underline+	no preview
??citation??	- citation
bq. Block quotation	Block quotation
^superscript^	superscript
subscript	no preview
{color:red}red text{color}	no preview

Horizontal Rule

Horizontal Rules are created by a line containing 4 dashes: ----

Text Breaks

Paragraph Breaks are created by blank line.

Line Breaks are implicitly created by a single newline or explicitly by `\ (1)`

Lists

Simple lists	- item 1 - item 2 - item 3
Bulleted lists	* level 1 * level 1 ** level 2
Numbered lists	# level 1 # level 1 ## level 2
Mixed lists	# numbered #* indented bullet

Table (1)

```
||heading 1||heading 2||heading 3||
|cell A1|cell A2|cell A3|
|cell B1|cell B2|cell B3|
```

Table with Lists (1)

```
||Heading 1||Heading 2||
|* Item 1
* Item 2
* Item 3|# Item 1
# Item 2
# Item 3|
```

Links

[pagename to link to]
[#anchor to jump to]
[pagename#anchor]
[space:pagename]
[http://external url to link]

Images

!http:// fully qualified URL!
!attached-image.gif!
!pagename^image.gif!
!space:pagename^image.gif!

Macro Syntax

```
{macroname}  
{macroname:param=value}  
{macroname:param1=value1|param2=...}
```

Macros

{toc}	Table of Content
{code}	Code block
{section}	Sections on page
{info}	Show info box
{note}	Show warning box
{tip}	Show tip box
{warning}	Show error box
{include:pagename}	Include page
{style}	Include CSS

Code Block languages

actionscrip**3** **bash** csharp coldfusion cpp
css delphi diff erlang groovy **html/xml** java
javafx **javascript** perl php powershell python
ruby scala **sql** **text** vb

Sections (1)

```
{secti on: bor der =true}  
{colum n:w idt h=30%}  
small column with a width of only  
{column}  
{colum n:w idt h=70%}  
larger column with a width of 70%.  
{column}  
{section}
```



Documentation Reference

[Confluence Documentation](#)

[Keyboard Shortcuts](#)

[Markup \(Wiki Syntax\)](#)

[All predefined Macros](#)

C

By [tgdchmi2](#)
[cheatography.com/tgdchmi2/](#)

Published 24th June, 2015.
Last updated 11th May, 2016.
Page 2 of 2.

Sponsored by [Readable.com](#)
Measure your website readability!
<https://readable.com>